BOTHALIA

VOLUME 37

INDEX

ISSN 0006 8241

2007

BOTHALIA

A JOURNAL OF BOTANICAL RESEARCH

Volume 37

Scientific Editor: G. Germishuizen
Technical Editor: B.A. Momberg

2 Cussonia Avenue, Brummeria, Pretoria / Private Bag X101, Pretoria 0001

ISSN 0006 8241

2007

New combinations, genus, species, statuses and varieties in Bothalia 37 (2007)

Aristea nigrescens *J.C.Manning & Goldblatt*, sp. nov., 189
Aspalathus theresae *C.N.Cupido*, sp. nov., 35
Ceraria kaokoensis *Swanepoel*, sp. nov., 202
Cliffortia anthospermoides *Fellingham*, sp. nov., 9
Cliffortia bolusii *Diels ex C.Whitehouse*, sp. nov., 20
Cliffortia cruciata *C.Whitehouse*, sp. nov., 11
Cliffortia cuneata *Dryand.* var. **cylindrica** *C.Whitehouse*, var. nov., 18
Cliffortia dentata *Willd.* var. **gracilis** (*Harv.*) *C.Whitehouse*, comb. et stat. nov., 14
Cliffortia ferricola *C.Whitehouse*, sp. nov., 12
Cliffortia filifolia *L.f.* var. **arenaria** *C.Whitehouse*, var. nov., 20
Cliffortia gracillima *C.Whitehouse*, sp. nov., 14
Cliffortia perpendicularis *C.Whitehouse*, sp. nov., 15
Cliffortia sparsa *C.Whitehouse*, sp. nov., 16
Cliffortia weimarckii *C.Whitehouse*, sp. nov., 17
Commiphora kuneneana *Swanepoel*, sp. nov., 42
Cyrtanthus aureolinus *Snijman*, sp. nov., 1
Cyrtanthus mackenii *Hook.f.* subsp. **cooperi** *(Baker) Snijman*, stat. et comb. nov., 6
Dewinteria petrophila *(De Winter) Van Jaarsv. & A.E.van Wyk,* comb. nov., 198
Dewinteria *Van Jaarsv. & A.E.van Wyk*, gen. nov., 198
Drimia ligulata *J.C. Manning & Goldblatt*, sp. nov., 186
Drimia pulchromarginata *J.C.Manning & Goldblatt*, sp. nov., 185
Drimia vermiformis *J.C.Manning & Goldblatt*, sp. nov., 184
Hesperantha acuta subsp. **tugwelliae** *(R.C.Foster) Goldblatt & J.C.Manning*, comb. et stat nov., 182
Hesperantha helmei *Goldblatt & J.C.Manning*, sp. nov., 179
Hesperantha lithicola *J.C.Manning & Goldblatt*, sp. nov., 180
Hesperantha longistyla *J.C.Manning & Goldblatt*, sp. nov., 177
Huernia lopanthera *Bruyns*, sp. nov., 23
Lachenalia lutzeyeri *G.D.Duncan*, sp. nov., 31
Nivenia inaequalis *Goldblatt & J.C.Manning*, sp. nov., 195
Ornithogalum corticatum *Mart.-Azorín*, sp. nov., 140
Rabdosiella leemannii *N.Hahn*, sp. nov., 37
Searsia acocksii *(Moffett) Moffett*, comb. nov., 166
Searsia acuminatissima *(R.Fern. & A.Fern.) Moffett*, comb. nov.,166
Searsia albida *(Schousb.) Moffett*, comb. nov., 167
Searsia albomarginata *(Sond.) Moffett*, comb. nov., 167
Searsia anchietae *(Fiçalho & Hiern ex Hiern) Moffett* forma **mendonçae** *(Meikle) Moffett*, comb. nov., 167
Searsia anchietae *(Fiçalho & Hiern ex Hiern) Moffett* forma **suffruticosa** *(Meikle) Moffett*, comb. nov., 167
Searsia anchietae *(Fiçalho & Hiern ex Hiern) Moffett*, comb. nov., forma **anchietae**, 167
Searsia angolensis *(Engl.) Moffett* forma **glabrescens** *(R.Fern.) Moffett*, comb. nov., 167
Searsia angolensis *(Engl.) Moffett*, comb. nov., forma **angolensis**, 167
Searsia arenaria *(Engl.) Moffett*, comb. nov., 167
Searsia aucheri *(Boiss.) Moffett*, comb. nov., 167
Searsia batophylla *(Codd) Moffett*, comb. nov., 167
Searsia blanda *(Meikle) Moffett* forma **exelliana** *(Meikle) Moffett*, comb. nov., 167
Searsia blanda *(Meikle) Moffett*, comb. nov., forma **blanda**, 167
Searsia bolusii *(Sond. ex Engl.) Moffett*, comb. nov., 167
Searsia brenanii *(Kokwaro) Moffett*, comb. nov., 167
Searsia burchellii *(Sond. ex Engl.) Moffett*, comb. nov., 167
Searsia carnosula *(Schönland) Moffett*, comb. nov., 167
Searsia chirindensis *(Baker f.) Moffett*, comb. nov., 167
Searsia crenata *(Thunb.) Moffett*, comb. nov., 167
Searsia crenulata *(A.Rich.) Moffett*, comb. nov., 167
Searsia discolor *(E.Mey. ex Sond.) Moffett*, comb. nov., 168
Searsia dissecta *(Thunb.) Moffett,* comb. nov., 168
Searsia divaricata *(Eckl. & Zeyh.) Moffett*, comb. nov., 168
Searsia dracomontana *(Moffett) Moffett*, comb. nov., 168

Searsia dregeana *(Sond.) Moffett*, comb. nov., 168
Searsia dumetorum *(Exell) Moffett*, comb. nov., 168
Searsia engleri *(Britten) Moffett*, comb. nov., 168
Searsia erosa *(Thunb.) Moffett*, comb. nov., 168
Searsia fanshawei *(R.Fern. & A.Fern.) Moffett*, comb. nov., 168
Searsia fastigata *(Eckl. & Zeyh.) Moffett*, comb. nov., 168
Searsia flexicaulis *(Baker) Moffett*, comb. nov., 168
Searsia gallagheri *(Ghaz.) Moffett*, comb. nov., 168
Searsia gerrardii *(Harv. ex Engl.) Moffett*, comb. nov., 168
Searsia glauca *(Thunb.) Moffett*, comb. nov., 168
Searsia glaucescens *(A.Rich.) Moffett*, comb. nov., 168
Searsia glutinosa *(Hochst. ex A.Rich.) Moffett* subsp. **abyssinica** *(Oliv.) Moffett*, comb. nov., 168
Searsia glutinosa *(Hochst. ex A.Rich.) Moffett* subsp. **neoglutinosa** *(M.G.Gilbert) Moffett*, comb. nov., 168
Searsia glutinosa *(Hochst. ex A.Rich.) Moffett*, comb. nov., subsp. **glutinosa**, 168
Searsia gracilipes *(Exell) Moffett*, comb. nov., 168
Searsia gracillima *(Engl.) Moffett* var. **glaberrima** *(Schönland) Moffett*, comb. nov., 168
Searsia gracillima *(Engl.) Moffett*, comb. nov., var. **gracillima**, 168
Searsia grandidens *(Harv. ex Engl.) Moffett*, comb. nov., 169
Searsia grossireticulata *(Van der Veken) Moffett*, comb. nov., 169
Searsia harveyi *(Moffett) Moffett*, comb. nov., 169
Searsia horrida *(Eckl. & Zeyh.) Moffett*, comb. nov., 169
Searsia humpatensis *(Meikle) Moffett* forma **subglabra** *(R.Fern.) Moffett*, comb. nov., 169
Searsia humpatensis *(Meikle) Moffett*, comb. nov., forma **humpatensis**, 169
Searsia incisa *(L.f.) F.A.Barkley* var. **effusa** *(Presl) Moffett*, comb. nov., 169
Searsia keetii *(Schönland) Moffett*, comb. nov., 169
Searsia kirkii *(Oliv.) Moffett*, comb. nov., 169
Searsia krebsiana *(C.Presl ex Engl.) Moffett*, comb. nov., 169
Searsia kwangoensis *(Van der Veken) Moffett*, comb. nov., 169
Searsia kwazuluana *(Moffett) Moffett*, comb. nov., 169
Searsia laevigata *(L.) F.A. Barkley* var. **laevigata** forma **cangoana** *(Moffett) Moffett*, comb. nov., 169
Searsia laevigata *(L.) F.A.Barkley* var. **villosa** *(L.f.) Moffett*, comb. nov., 169
Searsia leptodictya *(Diels) T.S.Yi, A.J.Mill. & J.Wen* forma **pilosa** *(R.Fern. & A.Fern.) Moffett*, comb. nov., 169
Searsia longipes *(Engl.) Moffett* var. **elgonensis** *(Kokwaro) Moffett*, comb. nov., 170
Searsia longipes *(Engl.) Moffett* var. **schinoides** *(R.Fern.) Moffett*, comb. nov., 170
Searsia longipes *(Engl.) Moffett*, comb. nov., var. **longipes**, 170
Searsia longispina *(Eckl. & Zeyh.) Moffett*, comb. nov., 170
Searsia lucens *(Hutch.) Moffett*, comb. nov., 170
Searsia lucida *(L.) F.A.Barkley* forma **elliptica** *(Sond.) Moffett*, comb. nov., 170
Searsia lucida *(L.) F.A.Barkley* forma **scoparia** *(Eckl. & Zeyh.) Moffett*, comb. nov., 170
Searsia magalismontana *(Sond.) Moffett* subsp. **coddii** *(R.Fern. & A. Fern.) Moffett*, comb. nov., 170
Searsia magalismontana *(Sond.) Moffett* subsp. **trifoliolata** *(Baker f.) Moffett*, comb. nov., 170
Searsia magalismontana *(Sond.) Moffett*, comb. nov., subsp. **magalismontana**, 170
Searsia maricoana *(Moffett) Moffett*, comb. nov., 170
Searsia marlothii *(Engl.) Moffett*, comb. nov., 170
Searsia montana *(Diels) Moffett*, comb. nov., 170
Searsia monticola *(Meikle) Moffett*, comb. nov., 170
Searsia mysorensis *(G.Don) Moffett*, comb. nov., 170
Searsia nebulosa *(Schönland) Moffett* forma **pubescens** *(Moffett) Moffett*, comb. nov., 170
Searsia nebulosa *(Schönland) Moffett*, comb. nov., forma **nebulosa**, 170
Searsia nitida *(Engl.) Moffett*, comb. nov., 171
Searsia obtusata *(Engl.) Moffett*, comb. nov., 171
Searsia ochracea *(Meikle) Moffett* var. **saxicola** *(R.Fern. & A.Fern.) Moffett*, comb. nov., 171
Searsia ochracea *(Meikle) Moffett*, comb. nov., var. **ochracea**, 171
Searsia pallens *(Eckl. & Zeyh.) Moffett*, comb. nov., 171
Searsia paniculata *(Wall. ex G.Don) Moffett*, comb. nov., 171
Searsia pendulina *(Jacq.) Moffett*, comb. nov., 171
Searsia pentheri *(Zahlbr.) Moffett*, comb. nov., 171
Searsia pondoensis *(Schönland) Moffett*, comb. nov., 171
Searsia populifolia *(E.Mey. ex Sond.) Moffett*, comb. nov., 171
Searsia problematodes *(Merxm. & Rössl.) Moffett*, comb. nov., 171

Searsia pterota *(C.Presl) Moffett*, comb. nov., 171
Searsia puccionii *(Chiov.) Moffett*, comb. nov., 171
Searsia pygmaea *(Moffett) Moffett*, comb. nov., 171
Searsia pyroides *(Burch.) Moffett* var. **dinteri** *(Engl.) Moffett*, comb. nov., 171
Searsia pyroides *(Burch.) Moffett* var. **gracilis** *(Engl.) Moffett*, comb. nov., 171
Searsia pyroides *(Burch.) Moffett* var. **integrifolia** *(Engl.) Moffett*, comb. nov., 171
Searsia pyroides *(Burch.) Moffett*, comb. nov., var. **pyroides**, 171
Searsia refracta *(Eckl. & Zeyh.) Moffett*, comb. nov., 172
Searsia rehmanniana *(Engl.) Moffett* var. **glabrata** *(Sond.) Moffett*, comb. nov., 172
Searsia rehmanniana *(Engl.) Moffett*, comb. nov., var. **rehmanniana**, 172
Searsia retinorrhoea *(Steud. ex Oliv.) Moffett*, comb. nov., 172
Searsia rigida *(Mill.) F.A.Barkley* var. **dentata** *(Engl.) Moffett*, comb. nov., 172
Searsia rigida *(Mill.) F.A.Barkley* var. **margaretae** (*Burtt Davy ex Moffett*) *Moffett*, comb. nov., 172
Searsia rimosa *(Eckl. & Zeyh.) Moffett*, comb. nov., 172
Searsia rogersii *(Schönland) Moffett*, comb. nov., 172
Searsia rudatisii *(Engl.) Moffett*, comb. nov., 172
Searsia ruspolii *(Engl.) Moffett*, comb. nov., 172
Searsia scytophylla *(Eckl. & Zeyh.) Moffett* var. **dentata** *(Moffett)* Moffett, comb. nov., 172
Searsia scytophylla *(Eckl. & Zeyh.) Moffett*, comb. nov., var. **scytophylla**, 172
Searsia sekhukhuniensis *(Moffett) Moffett*, comb. nov., 172
Searsia somalensis *(Engl.) Moffett*, comb. nov., 172
Searsia squalida *(Meikle) Moffett*, comb. nov., 172
Searsia stenophylla *(Eckl. & Zeyh.) Moffett*, comb. nov., 172
Searsia tenuinervis *(Engl.) Moffett*, comb. nov., 172
Searsia tenuipes *(R.Fern. & A.Fern.) Moffett*, comb. nov., 173
Searsia thyrsiflora *(Balf.f.) Moffett*, comb. nov., 173
Searsia transvaalensis *(Engl.) Moffett*, comb. nov., 173
Searsia tridactyla *(Burch.) Moffett*, comb. nov., 173
Searsia tripartita *(Ucria) Moffett*, comb. nov., 173
Searsia tumulicola *(S.Moore) Moffett* var. **meeuseana** *(R.Fern. & A.Fern.) Moffett*, comb. nov., forma **meeuseana**, 173
Searsia tumulicola *(S.Moore) Moffett* var. **meeuseana** *(R.Fern. & A.Fern.) Moffett* forma **pumila** *(Moffett) Moffett*, comb. nov., 173
Searsia tumulicola *(S.Moore) Moffett*, comb. nov., var. **tumulicola**, 173
Searsia volkii *(Suess.) Moffett*, comb. nov., 173
Searsia wellmanii *(Engl.) Moffett*, comb. nov., 173
Searsia wildii *(R.Fern. & A.Fern.) Moffett*, comb. nov., 173
Searsia wilmsii *(Diels) Moffett*, comb. nov., 173
Searsia zeyheri *(Sond.) Moffett*, comb. nov., 173
Stenostelma umbelluliferum (*Schltr.) S.P.Bester & Nicholas*, comb. nov., 50
Trachyandra arenicola *J.C.Manning & Goldblatt*, sp. nov., 27
Trachyandra montana *J.C.Manning & Goldblatt*, sp. nov., 27
Vigna verdcourtii *Pasquet*, sp. nov., 53

CONTENTS

	Page	Date
No. 1	1–132	May 2007
No. 2	133–294	Oct. 2007

BESTER, S.P. & NICHOLAS, A. Transfer of *Schizoglossum umbelluliferum* to *Stenostelma*, and its neotypification (Asclepiadoideae–Apocynaceae) 48

BRUYNS, P.V. A new species of *Huernia* (Asclepiadoideae–Ceropegieae–Apocynaceae)from southern Angola 23

BUYS, M.H. & NORDENSTAM, B. Lectotypification of the basionym, *Echium glaucophyllum* (Boraginaceae) 25

BUYS, M.H., NORDENSTAM, B. & VOGT, R. *Lobostemon lasiophyllus*: discovery of a link specimen in Stockholm, the correct author citation and synonymy (Boraginaceae) 196

COATES PALGRAVE, M., VAN WYK, A.E., JORDAAN, M., WHITE, J.A. & SWEET, P. A reconnaissance survey of the woody flora and vegetation of the Catapú logging concession, Cheringoma District, Mozambique 57

CROUCH, N.R. & EDWARDS, T.J. *Crassula streyi* recorded from the Eastern Cape, South Africa (Crassulaceae) 208

CROUCH, N.R. & SMITH, G.F. *Bryophyllum proliferum* naturalized in KwaZulu-Natal, South Africa (Crassulaceae) 206

CUPIDO, C.N. *Aspalathus theresae,* a new species from Western Cape, South Africa (Fabaceae) 34

DUNCAN, G.D. & EDWARDS, T.J. A new pyrophytic *Lachenalia* species (Massonieae–Hyacinthaceae) from Western Cape, South Africa 31

GOLDLATT, P. & MANNING, J.C. New species and notes on *Hesperantha* (Iridaceae) in southern Africa 177

HAHN, N. & BREDENKAMP, G.J. *Rabdosiella leemannii*, a new species from the Limpopo Province of South Africa (Lamiaceae) 37

HENDERSON, L. Invasive, naturalized and casual alien plants in southern Africa: a summary based on the Southern African Plant Invaders Atlas (SAPIA) 215

KEITH, M. & WARREN, M. Can anthropogenic variables be used as threat proxies for South African plant richness? 79

KELLERMAN, M.J.S. & VAN ROOYEN, M.W. Seasonal variation in soil seed bank size and species composition of selected habitat types in Maputaland, South Africa 249

KLOPPER, R.R. Review: Check-list des plantes vasculaires du Gabon/ Checklist of Gabonese vascular plants, by M.S.M. Sosef, J.J. Wieringa, C.C.H. Jongkind, G. Achoundong, Y. Azizet Issembé, D. Bedigian, R.G. Van Den Berg, F.J. Breteler, M. Cheek, J. Degreef, R.B. Fade, P. Goldblatt, L.J.G. Van Der Maesen, L. Ngok Banak, R. Niangadouma, T. Nzabi, B. Nziengui, Z.S. Rogers, T. Stévart, J.L.C.H Van Valkenburg, G. Walters & J.J.F.E. De Wilde. 2006 129

MANNING, J.C. & GOLDBLATT, P. *Trachyandra arenicola* and *T. montana*, two new species from South Africa (Asphodelaceae) 26

MANNING, J.C. & GOLDBLATT, P. New species of *Drimia* (Hyacinthaceae: Urgineoideae) allied to *Drimia marginata* from Western and Northern Cape, South Africa 183

MANNING, J.C. & GOLDBLATT, P. *Aristea nigrescens* (subgenus *Pseudaristea*), a new species from Western Cape, South Africa with a novel strategy for pollinator attraction (Iridaceae) 189

MANNING, J.C. & GOLDBLATT, P. *Nivenia argentea* misunderstood, and the new species *Nivenia inaequalis* (Nivenioideae–Iridaceae) 192

MANNING, J.C., MARTÍNEZ-AZORÍN, M. & CRESPO, M.B. A revision of *Ornithogalum* subgenus *Aspasia* section *Aspasia*, the chincherinchees (Hyacinthaceae) 133

MOFFETT, R.O. Name changes in the Old World *Rhus* and recognition of *Searsia* (Anacardiaceae) 165

MOMBERG, B.A. Compiler. South African National Biodiversity Institute: administration and research staff 31 March 2007, publications 1 April 2006–31 March 2007 261

MOORE, G. The handling of the proposal to conserve the name *Acacia* at the 17th International Botanical Congress—an attempt at minority rule 109

MOTEETEE, A. & VAN WYK, B-E. The concept of *'Musa-pelo* and the medicinal use of shrubby legumes (Fabaceae) in Lesotho 75

NETNOU, N.C. & VAN WYK, B-E. A key to *Dicoma* taxa (Dicomeae–Asteraceae) in southern Africa 55

OLIVER, E.G.H. (Compiler), J.P. ROURKE, J.P. & LINDER, H.P. Obituary: Elsie Elizabeth Esterhuysen (1912–2006) 119

PASQUET, R.S. *Vigna verdcourtii* (Papilionoideae–Leguminosae), a new species from eastern Africa 51

POOLEY, E. Obituary: Ian Frederick Garland (1925–2007) 259

SNIJMAN, D.A. Notes on new and misunderstood taxa of *Cyrtanthus* (Amaryllidaceae: Cyrtantheae) from the Western Cape, Eastern Cape and KwaZulu-Natal, South Africa 1

STRYDOM, A., KLEYNHANS, R. & SPIES, J.J. Chromosome studies on African plants. 20. Karyotypes of some *Cyrtanthus* species (Amaryllidaceae) 103
SWANEPOEL, W. *Commiphora kuneneana*, a new species from the Kaokoveld, Namibia (Burseraceae) 40
SWANEPOEL, W. *Ceraria kaokoensis*, a new species from Namibia, with notes on gynodioecy in the genus (Didiereaceae/Portulacaceae) 202
VAN JAARSVELD, E.J. & VAN WYK, A.E. *Dewinteria*, a new semisucculent, cliff-dwelling genus endemic to the Kaokoveld, Namibia (Pedaliaceae) 198
WHITEHOUSE, C.M. & FELLINGHAM, A.C. New species and notes on the genus *Cliffortia* (Rosaceae) 9
WILLIAMS, V.L., BALKWILL, K. & WITKOWSKI, E.T.F. Stem diameter and bark surface area of the fluted trunk of *Balanites maughamii* (Balanitaceae) 211
ZIETSMAN, M.M. & BREDENKAMP, G.J. Threatened Limestone Fynbos plant communities of Andrew's Field and Tsaba-Tsaba Nature Reserve, Western Cape 89

INDEX

Acacia *Mill.*, 109
adaptogen, 75
Africa
  eastern, 51
  South, 1, 26, 34, 37, 133, 183, 189, 206, 208, 249
  southern, 177, 215
Amaryllidaceae, 1, 103
Anacardiaceae, 165
Andrew's Field, Western Cape, 89
Angola, 23
Anthericum marginatum Thunb., 185
Apocynaceae, 23, 48
Aristea nigrescens *J.C.Manning & Goldblatt*, 189
Asclepiadoideae, subfamily, Apocynaceae, 48
Asclepiadoideae, tribe Ceropegieae, 23
Aspalathus theresae *C.N.Cupido*, 35
Asphodelaceae, 26
Balanitaceae, 211
Balanites maughamii *Sprague*, 211
Balkwill, K., 211
Bester, S.P. & Nicholas, A. Transfer of *Schizoglossum umbelluliferum* to *Stenostelma*, and its neotypification (Asclepiadoideae–Apocynaceae), 48
biomes, 215
bitter tonic, 75
Boraginaceae, 196
Bredenkamp, G.J., 37, 89
Bruyns, P.V. A new species of *Huernia* (Asclepiadoideae–Ceropegieae–Apocynaceae) from southern Angola, 23
Bryophyllum proliferum *Bowie ex Hook.*, 206
Burseraceae, 40
Buys, M.H. & Nordenstam, B. Lectotypification of the ba-sionym, *Echium glaucophyllum* (Boraginaceae), 25
Buys, M.H., Nordenstam, B. & Vogt, R. *Lobostemon lasiophyllus*: discovery of a link specimen in Stockholm, the correct author citation and synonymy (Boraginaceae), 196
Cape
  Eastern, 1, 208
  Floristic Region, 9
  Western, 1, 26, 34, 89
casual alien plants, 215
Catapú, Mozambique, 58
Ceraria kaokoensis *Swanepoel*, 202
Ceropegieae, tribe, subfamily Asclepiadoideae, Apocynaceae, 23
checklist, 58
Cheringoma, Mozambique, 58
chincherinchees, 133
chromosome studies, 103
Cliffortia *L.*, 9
  anthospermoides *Fellingham*, 9
  bolusii *Diels ex C.Whitehouse*, 20
  cruciata *C.Whitehouse*, 11
  cuneata *Dryand.*, 18
    var. cuneata, 18
    var. cylindrica *C.Whitehouse*, 18
  dentata sensu Muir, 14
  dentata *Willd.*, 13
    var. dentata, 13
    var. gracilis *(Harv.) C.Whitehouse*, 14
  discolor Weim., 21
  ferricola *C.Whitehouse*, 12
  filifolia *L.f.*, 19
    var. arenaria *C.Whitehouse,* 20
    var. filifolia, 19
  gracilis Harv., 14
  gracilis sensu Weim., 14
  gracillima *C.Whitehouse*, 14
  hermaphroditica Weim., 21
  juniperina *L.f.,* 21
  leptophylla Eckl. & Zeyh., 19
  odorata *L.f.*, 21
  perpendicularis *C.Whitehouse*, 15
  pterocarpa sensu Weim., 16
  sparsa *C.Whitehouse*, 16
  versiforme C.Whitehouse, ms. name, 12
  weimarckii *C.Whitehouse*, 16
Coates Palgrave, M., Van Wyk, A.E., Jordaan, M., White, J.A. & Sweet, P. A reconnaissance survey of the woody flora and vegetation of the Catapú logging concession, Cheringoma District, Mozambique, 58,
comb. nov., 5, 14, 50, 166–173, 182, 198
commercial bark harvesting, 211
Commiphora kuneneana *Swanepoel*, 42
conservation, 109
  area, 89
Crassula streyi *Toelken*, 208
Crassulaceae, 206, 208
Crespo, M.B., 133
Crouch, N.R. & Edwards, T.J. *Crassula streyi* recorded from the Eastern Cape, South Africa (Crassulaceae), 208
Crouch, N.R. & Smith, G.F. *Bryophyllum proliferum* naturalized in KwaZulu-Natal, South Africa (Crassulaceae), 206
Cupido, C.N. *Aspalathus theresae*, a new species from Western Cape, South Africa (Fabaceae), 34
Cyrtantheae, tribe, Amaryllidaceae, 1
Cyrtanthus *Aiton*, 1, 103
  aureolinus *Snijman*, 1
  lutescens sensu Hook.f., 5
  lutescens Herb.
    var. *lutescens*, 6
    var. *cooperi* Baker, 5
  mackenii *Hook.f.*
    subsp. cooperi (*Baker*) *Snijman*, 4
    subsp. mackenii, 4
    var. *cooperi* (Baker) R.A.Dyer, 4, 5
  ochroleucus *(Herb.) Burch. ex Steud.*, 6
Dewinteria *Van Jaarsveld & A.E.Van Wyk*, 198
  petrophila *(De Winter) Van Jaarsv. & A.E.van Wyk*, 198
diameter at bark height (dbh), 211
Dicoma *Cass.*, 55
Dicomeae, tribe, Asteraceae, 55
Didiereaceae/Portulacaceae, 202
Drimia *Jacq.*, 183
  ligulata *J.C. Manning & Goldblatt*, 186
  marginata *(Thunb.) Jessop*, 185
  minor (Duthie) Jessop, 184
  pulchromarginata *J.C.Manning & Goldblatt*, 185
  vermiformis *J.C.Manning & Goldblatt*, 184
  virens *(Schltr.) J.C.Manning & Goldblatt*, 184
  virens sensu Goldblatt & J.C.Manning, 184
Duncan, G.D. & Edwards, T.J. A new pyrophytic *Lachenalia* species (Massonieae) from Western Cape, South Africa (Hyacinthaceae), 31
eastern Africa, 51
Eastern Cape, 1, 208
Echium
  fruticosum L., 197
  glaucophyllum Jacq., 26
  lasiophyllum *Link*, 197
ecology, 58
Edwards, T.J., 31, 208
Elsie Elizabeth Esterhuysen (1912–2006), 119
endemic, 9
  plants, 89
  species, 79
Fabaceae, 34, 75
Fellingham, A.C., 9
flora, 58
gen. nov., 198
Goldblatt, P. & Manning, J.C. New species and notes on *Hesperantha* (Iridaceae) in southern Africa, 177
Goldblatt, P., 26, 183, 189, 192
guide for authors to *Bothalia*, 283
gynodioecy, 202
Hahn, N. & Bredenkamp, G.J. *Rabdosiella leemannii*, a new species from the Limpopo Province of South Africa (Lamiaceae), 37
Henderson, L. Invasive, naturalized and casual alien plants in southern Africa: a summary based on the Southern African Plant Invaders Atlas (SAPIA), 215
Hesperantha *Ker Gawl.*, 177
  acuta *(Licht. ex Roem. & Schult.) Ker Gawl.*, 181
    subsp. tugwelliae *(R.C.Foster) Goldblatt & J.C.Manning*, 182

Hesperantha (cont.)
helmei *Goldblatt & J.C.Manning*, 179
karooica *Goldblatt*, 180
lithicola *J.C.Manning & Goldblatt*, 180
longistyla *J.C.Manning & Goldblatt*, 177
vaginata *(Sweet) Goldblatt*, 180
Huernia lopanthera *Bruyns*, 23
human population density, 79
Hyacinthaceae, 31, 133, 183
Ian Frederick Garland (1925–2007), 259
Idothea marginata (Thunb.) Kunth., 185
immune stimulant, 75
International Botanical Congress, 109
International Code of Botanical Nomenclature, 109
invasive plants, 215
Iridaceae, 177, 189, 192
Jordaan, M., 57
Kaokoveld, Namibia, 40, 198
Keith, M. & Warren, M. Can anthropogenic variables be used as threat proxies for South African plant richness?, 79
Kellerman, M.J.S. & Van Rooyen, M.W. Seasonal variation in soil seed bank size and species composition of selected habitat types in Maputaland, South Africa, 249
key
Ceraria spp., 204
Dicoma spp., 55
Ornithogalum spp., 135
Kleynhans, R., 103
Klopper, R.R. Review: Check-list des plantes vasculaires du Gabon/ Checklist of Gabonese vascular plants, by M.S.M. Sosef, J.J. Wieringa, C.C.H. Jongkind, G. Achoundong, Y. Azizet Issembé, D. Bedigian, R.G. Van Den Berg, F.J. Breteler, M. Cheek, J. Degreef, R.B. Fade, P. Goldblatt, L.J.G. Van Der Maesen, L. Ngok Banak, R. Niangadouma, T. Nzabi, B. Nziengui, Z.S. Rogers, T. Stévart, J.L.C.H Van Valkenburg, G. Walters & J.J.F.E. De Wilde. 2006, 129
KwaZulu-Natal, 1, 206
Lachenalia lutzeyeri *G.D.Duncan*, 31
Lamiaceae, 37
land transformation, 79
lectotypification, 25
Leguminosae, 51
Lesotho, 75, 215
Licuati forest, 249
Limestone Fynbos, 89
Limpopo Province, 37
Linder, H.P., 119
Lobostemon
fruticosus *(L.) H.Buek*, 197
glaucophyllus *(Jacq.) H.Buek.*, 26
lasiophyllus (Link) DC., 197
Manning, J.C. & Goldblatt, P. *Trachyandra arenicola* and *T. montana*, two new species from South Africa (Asphodelaceae), 26
Manning, J.C. & Goldblatt, P. New species of *Drimia* (Hyacinthaceae: Urgineoideae) allied to *Drimia marginata* from Western and Northern Cape, South Africa, 183
Manning, J.C. & Goldblatt, P. *Aristea nigrescens* (subgenus *Pseudaristea*), a new species from western Cape, South Africa with a novel strategy for pollinator attraction (Iridaceae), 189
Manning, J.C. & Goldblatt, P. *Nivenia argentea* misunderstood, and the new species *Nivenia inaequalis* (Iridaceae–Nivenioideae), 192
Manning, J.C., 177
Manning, J.C., Martínez-Azorín, M. & Crespo, M.B. A revision of *Ornithogalum* subgenus *Aspasia* section *Aspasia*, the chinche-rinchees (Hyacinthaceae), 133
Maputaland, South Africa, 249
Martínez-Azorín, M., 133
Massonieae, tribe, Hyacinthaceae, 31
Moffett, R.O. Name changes in the Old World *Rhus* and recognition of *Searsia* (Anacardiaceae), 165
Momberg, B.A. Compiler: South African National Biodiversity Institute: administration and research staff 31 March 2007, publications 1 April 2006–31 March 2007, 261
Monella ochroleuca Herb., 6
Moore, G. The handling of the proposal to conserve the name *Acacia* at the 17th International Botanical Congress—an attempt at minority rule, 109
Moteetee, A. & Van Wyk, B-E. The concept of '*Musa-pelo* and the medicinal use of shrubby legumes (Fabaceae) in Lesotho, 75
Mozambique, 58
Namibia, 40, 198, 202
naturalized plants, 215
neotypification, 48
Netnou, N.C. & Van Wyk, B-E. A key to *Dicoma* taxa (Dicomeae) in southern Africa (Asteraceae), 55
new
combination, 5, 9, 14, 50, 166–173, 182, 198
genus, 198
record, 208
species, 1, 9, 11, 12, 14, 15, 16, 17, 20, 23, 27, 31, 35, 37, 42, 53, 140, 177, 179, 180, 184–186, 189, 192, 195, 202
status, 5, 14, 182
variety, 18, 20
Nicholas, A., 48
Nivenia
argentea *Goldblatt*, 192
argentea sensu Goldblatt, 195
capitata (Klatt) Weim., 192
capitata R.Br., 192
inaequalis *Goldblatt & J.C.Manning*, 195
Nomenclature Section, 109
nomenclature, 109, 165
Nordenstam, B., 25, 196
Northern Cape, 183
obituary, 119, 259
Oliver, E.G.H., Rourke, J.P. & Linder, H.P. Obituary: Elsie Elizabeth Esterhuysen (1912–2006), 119
Ornithogalum *L.*, 133, 134
subgenus Aspasia *(Salisb.) Oberm.*, 133, 135
section Aspasia, 135
series Aspasia, 135
series Maculata, 147
series Thyrsoides, 143
aestivum L.Bolus, 133
alticolum F.M.Leight., 147
aurantiacum Baker, 155
aureum Curtis, 147
baurii Baker, 160
bicolor Haw., 144
brownleei F.M.Leight., 147
ceresianum *F.M.Leight.*, 146
citrinum Schltr. ex Poelln., 147
coarctatum Jacq., 143
conicum Jacq. subsp. *strictum* (L.Bolus) Oberm., 143
conicum Jacq. var. *strictum* (L.Bolus) F.M.Leight., 143
conicum *Jacq.*, 135
corticatum *Mart.-Azorín*, 140
diphyllum Baker, 160
dubium *Houtt.*, 147
fergusoniae L.Bolus, 147
fimbrimarginatum F.M.Leight., 147
flavescens Jacq., 147
flavissimum Jacq., 147
gilgianum Schltr. ex Poelln., 147
glaucophyllum Schltr. ex Poelln., 152
hermannii F.M.Leight., 144
hygrophilum Hilliard & B.L.Burtt, 160
insigne F.M.Leight., 153
lacteum Jacq., 135
var. *conicum* (Jacq.) Baker, 135
leeupoortense *U.Müll.-Doblies & D.Müll.-Doblies*, 156
leipoldtii L.Bolus, 147
maculatum *Jacq.*, 152
var. *speciosum* (Baker) F.M.Leight., 153
var. *splendens* (L.Bolus) F.M.Leight., 153
maculatum Thunb., 152
magnificum Poelln., 153
merxmuelleri Roessler, 158
miniatum Jacq., 147
var. *vandermerwei* (Barnes) F.M.Leight., 147
multifolium Baker, 155
perpulchrum Schltr. ex Poelln., 147
pillansii F.M.Leight., 147
pruinosum *F.M.Leight.*, 152
puberulum *Oberm.*, 158
subsp. *chris-bayeri* U.Müll.-Doblies & D.Müll.-Doblies, 158
ranunculoides L.Bolus, 155
rossouwii U.Müll.-Doblies & D.Müll.-Doblies, 153

Ornithogalum *L* (cont.)
rupestre *L.f.*, 155
saxatile Schltr. ms., 155
sephtonii Hilliard & B.L.Burtt, 160
speciosum Baker, 153
splendens L.Bolus, 153
strictum *L.Bolus*, 143
subcoriaceum L.Bolus, 147
synanthifolium *F.M.Leight.*, 138
thunbergianum Baker, 152
thunbergianum var. *concolor* Baker, 153
thyrsoides *Jacq.*, 143
vandermerwei Barnes var. *album* Barnes, 147
vandermerwei Barnes, 147
virgineum Soland. ex Baker, 155
witteklipense F.M.Leight., 155
Papilionoideae, subfamily, Leguminosae, 51
Pasquet, R.S. *Vigna verdcourtii* (Papilionoideae), a new species from eastern Africa (Leguminosae), 51
Pedaliaceae, 198
phytosociology, 89
plant communities, 89
pollinator attraction, 189
Pooley, E. Obituary: Ian Frederick Garland (1925–2007), 259
Portulacaceae/Didiereaceae, 202
publications
by Elsie Esterhuysen, 127
by staff, 273
Rabdosiella leemannii *N.Hahn*, 37
Racosperma *C.Mart.*, 109
reprints of *Bothalia* articles: change of policy, 131
Rhamnus
pentaphylla Jacq., 171
tripartitus Ucria, 173
Rhus *L.*, 165
subgen. *Thezera* (DC.) K.Koch., 166
sect. *Gerontogeae* Engl., 166
sect. *Thereza* DC., 166
abyssinica Oliv., 168
acocksii Moffett, 166
acuminatissima R.Fern. & A.Fern., 166
albida Schousb., 167
albomarginata Sond., 167
anchietae Fiçalho & Hiern ex Hiern forma *mendonçae* (Meikle) R.Fern., 167
anchietae Fiçalho & Hiern ex Hiern forma *suffruticosa* (Meikle) R.Fern., 167
anchietae Fiçalho & Hiern ex Hiern, 167
angolensis Engl. forma *glabrescens* R.Fern., 167
angolensis Engl., 167
angustifolia L., 167
arenaria Engl., 167
aucheri Boiss., 167
batophylla Codd, 167
blanda Meikle, 167
forma *exelliana* (Meikle) R.Fern., 167
bolusii Sond. ex Engl., 167
brenanii Kokwaro, 167
burchellii Sond. ex Engl., 167
carnosula Schönland, 167
chirindensis Baker f., 167
ciliata Licht. ex Schult., 167
coddii R.Fern. & A.Fern., 170
crenata Thunb., 167
crenulata A.Rich., 167
cuneifolia L.f., 167
dentata Thunb., 168
dinteri Engl., 171
discolor E.Mey. ex Sond., 168
dissecta Thunb., 168
divaricata Eckl. & Zeyh., 168
dracomontana Moffett, 168
dregeana Sond., 168
dumetorum Exell, 168
elliptica Sond., 170
engleri Britten, 168
erosa Thunb., 168
exelliana Meikle, 167
fanshawei R.Fern. & A.Fern., 168
fastigata Eckl. & Zeyh., 168
flexicaulis Baker, 168
gallagheri Ghaz., 168
gerrardii (Harv. ex Engl.) Diels, 168
glauca Thunb., 168
glaucescens A.Rich., 168
glutinosa Hochst. ex A.Rich., 168
gracilipes Exell, 168
gracillima Engl., 168
var. *glaberrima* Schönland, 168
grandidens Harv. ex Engl., 169
grossireticulata Van der Veken, 169
gueinzii Sond., 169
harveyi Moffett, 169
horrida Eckl. & Zeyh., 169
humpatensis Meikle, 169
forma *subglabra* R.Fern., 169
incisa L.f., 169
var. *effusa* (Presl) R.Fern., 169
keetii Schönland, 169
kirkii Oliv., 169
var. *kwangoensis* Van der Veken, 169
krebsiana C.Presl ex Engl., 169
kwangoensis (Van der Veken) Kokwaro, 169
kwazuluana Moffett, 169
laevigata L., 169
forma *cangoana* Moffett, 169
var. *villosa* (L.f.) R.Fern., 169
lancea L.f., 169
leptodictya Diels, 169
forma *pilosa* R.Fern. & A.Fern., 169
longipes Engl., 170
var. *elgonensis* Kokwaro, 170
var. *schinoides* R.Fern., 170
longispina Eckl. & Zeyh., 170
lucens Hutch., 170
lucida L., 170
forma *elliptica* (Sond.) Moffett, 170
forma *scoparia* (Eckl. & Zeyh.) Moffett, 170
magalismontana Sond., 170
subsp. *coddii* (R.Fern. & A.Fern.) Moffett, 170
subsp. *trifoliolata* (Baker f.) Moffett, 170
maricoana Moffett, 170
marlothii Engl., 170
mendoçae Meikle, 167
montana Diels, 170
monticola Meikle, 170
mysorensis G.Don, 170
natalensis Bernh. ex C.Krauss, 170
nebulosa Schönland, 170
forma *pubescens* Moffett, 170
neoglutinosa M.G.Gilbert, 168
nitida Engl., 171
obtusata (Engl.) Meikle, 171
ochracea Meikle, 171
var. *saxicola* R.Fern. & A.Fern., 171
pallens Eckl. & Zeyh., 171
paniculata Wall. ex G.Don, 171
parviflora Roxb., 171
pendulina Jacq., 171
pentheri Zahlbr., 171
pondoensis Schönland, 171
populifolia E.Mey. ex Sond., 171
problematodes Merxm. & Rössl., 171
pterota C.Presl, 171
puccionii Chiov., 171
pygmaea Moffett, 171
pyroides Burch.
var. *glabrata* Sond., 172
var. *pyroides*, 171
pyroides (Burch.) Moffett var. *dinteri* (Engl.) Moffett, 171
quartiniana A.Rich., 172
refracta Eckl. & Zeyh., 172
rehmanniana Engl., 172
retinorrhoea Steud. ex Oliv., 172
rigida Mill., 172
rigida (Mill.) Moffett var. *margaretae* Burtt Davy ex Moffett, 172
rimosa Eckl. & Zeyh., 172
rogersii Schönland, 172

Rhus *L.* (cont.)
rosmarinifolia Vahl, 172
rudatisii Engl., 172
ruspolii Engl., 172
scoparia Eckl. & Zeyh., 170
scytophylla Eckl. & Zeyh., 172
var. *dentata* Moffett, 172
sekhukhuniensis Moffett, 172
somalensis Engl., 172
squalida Meikle, 172
stenophylla Eckl. & Zeyh., 172
suffruticosa Meikle, 167
synstylica R.Fern. & A.Fern. var. *meeuseana* R.Fern. & A.Fern. forma *meeuseana*, 173
tenuinervis Engl., 172
tenuipes R.Fern. & A.Fern., 173
thyrsiflora Balf.f., 173
tomentosa L., 173
transvaalensis Engl., 173
tridactyla Burch., 173
tridentata Engl. var. *integrifolia* Engl., 171
trifoliolata Baker f., 170
tumulicola S.Moore, 173
tumulicola (S.Moore) Moffett var. *meeuseana* (R.Fern. & A.Fern.) Moffett forma *pumila* Moffett, 173
undulata Jacq., 173
villosa L.f.
var. *gracilis* Engl., 171
var. *obtusata* Engl., 171
viminalis Vahl var. *gerrardii* Harv. ex Engl., 168
volkii Suess., 173
wellmanii Engl., 173
wildii R.Fern. & A.Fern., 173
wilmsii Diels, 173
zeyheri Sond., 173
var. *dentata* Engl., 172
roadside surveys, 206, 215
Rogeria J.Gay ex Delile subgen. *Microrogeria* Ihlenf., 198
petrophila De Winter, 198
Rosaceae, 9
Rourke, J.P., 119
Sand Forest, 249
SAPIA mapping project, 215
Schizoglossum umbelluliferum Schltr., 50
Searsia *F.A.Barkley*, 165, 166
acocksii (*Moffett*) *Moffett*, 166
acuminatissima *(R.Fern. & A.Fern.)*, 166
albida *(Schousb.) Moffett*, 167
albomarginata *(Sond.) Moffett*, 167
anchietae *(Fiçalho & Hiern ex Hiern) Moffett*
forma anchietae, 167
forma mendonçae *(Meikle) Moffett*, 167
forma suffruticosa *(Meikle) Moffett*, 167
angolensis *(Engl.) Moffett*
forma glabrescens *(R.Fern.) Moffett*, 167
forma angolensis, 167
angustifolia *(L.) F.A.Barkley,* 167
arenaria *(Engl.) Moffett*, 167
aucheri *(Boiss.) Moffett*, 167
batophylla *(Codd) Moffett*, 167
blanda *(Meikle) Moffett*
forma exelliana *(Meikle) Moffett*, 167
forma blanda, 167
bolusii *(Sond. ex Engl.) Moffett*, 167
brenanii *(Kokwaro) Moffett*, 167
burchellii *(Sond. ex Engl.) Moffett*, 167
carnosula *(Schönland) Moffett*, 167
chirindensis *(Baker f.) Moffett*, 167
ciliata *(Licht. ex Schult.) A.J.Mill.,* 167
crenata *(Thunb.) Moffett*, 167
crenulata *(A.Rich.) Moffett*, 167
cuneifolia *(L.f.) F.A.Barkley,* 167
dentata *(Thunb.) F.A.Barkley*, 168
discolor *(E.Mey. ex Sond.) Moffett,* 168
dissecta *(Thunb.) Moffett,* 168
divaricata *(Eckl. & Zeyh.) Moffett*, 168
dracomontana *(Moffett) Moffett*, 168
dregeana *(Sond.) Moffett*, 168
dumetorum *(Exell) Moffett*, 168
engleri *(Britten) Moffett*, 168
erosa *(Thunb.) Moffett*, 168
fanshawei *(R.Fern. & A.Fern.) Moffett*, 168
fastigata *(Eckl. & Zeyh.) Moffett*, 168
flexicaulis *(Baker) Moffett*, 168
gallagheri *(Ghaz.) Moffett*, 168
gerrardii *(Harv. ex Engl.) Moffett*, 168
glauca *(Thunb.) Moffett*, 168
glaucescens *(A.Rich.) Moffett*, 168
glutinosa *(Hochst. ex A.Rich.) Moffett*
subsp. abyssinica *(Oliv.) Moffett*, 168
subsp. glutinosa, 168
subsp. neoglutinosa *(M.G.Gilbert) Moffett*, 168
gracilipes *(Exell) Moffett*, 168
gracillima *(Engl.) Moffett*
var. glaberrima *(Schönland) Moffett*, 168
gracillima *(Engl.) Moffett* var. gracillima, 168
grandidens *(Harv. ex Engl.) Moffett*, 169
grossireticulata *(Van der Veken) Moffett*, 169
gueinzii *(Sond.) F.A.Barkley*, 169
harveyi *(Moffett) Moffett*, 169
horrida *(Eckl. & Zeyh.) Moffett*, 169
humpatensis *(Meikle) Moffett*
forma humpatensis, 169
forma subglabra *(R.Fern.) Moffett*, 169
incisa *(L.f.) F.A.Barkley*
var. incisa, 169
var. effusa *(Presl) Moffett*, 169
keetii *(Schönland) Moffett*, 169
kirkii *(Oliv.) Moffett*, 169
krebsiana *(C.Presl ex Engl.) Moffett*, 169
kwangoensis *(Van der Veken) Moffett*, 169
kwazuluana *(Moffett) Moffett*, 169
laevigata *(L.) F.A.Barkley*
var. laevigata
forma cangoana *(Moffett) Moffett*, 169
forma laevigata, 169
var. villosa *(L.f.) Moffett*, 169
lancea *(L.f.) F.A.Barkley*, 169
leptodictya *(Diels) T.S.Yi, A.J.Mill. & J.Wen*
forma leptodictya, 169
forma pilosa *(R.Fern. & A.Fern.) Moffett*, 169
longipes *(Engl.) Moffett*
var. elgonensis *(Kokwaro) Moffett*, 170
var. longipes, 170
var. schinoides *(R.Fern.) Moffett*, 170
longispina *(Eckl. & Zeyh.) Moffett*, 170
lucens *(Hutch.) Moffett*, 170
lucida *(L.) F.A.Barkley*
forma elliptica *(Sond.) Moffett*, 170
forma lucida, 170
forma scoparia *(Eckl. & Zeyh.) Moffett*, 170
magalismontana *(Sond.) Moffett*
subsp. coddii *(R.Fern. & A. Fern.) Moffett*, 170
subsp. magalismontana, 170
subsp. trifoliolata *(Baker f.) Moffett*, 170
maricoana *(Moffett) Moffett*, 170
marlothii *(Engl.) Moffett*, 170
montana *(Diels) Moffett*, 170
monticola *(Meikle) Moffett*, 170
mysorensis *(G.Don) Moffett*, 170
natalensis *(Bernh. ex C.Krauss) F.A.Barkley*, 170
nebulosa *(Schönland) Moffett*
forma nebulosa, 170
forma pubescens *(Moffett) Moffett*, 170
nitida *(Engl.) Moffett*, 171
obtusata *(Engl.) Moffett*, 171
ochracea *(Meikle) Moffett*
var. ochracea, 171
var. saxicola *(R.Fern. & A.Fern.) Moffett*, 171
pallens *(Eckl. & Zeyh.) Moffett,* 171
paniculata *(Wall. ex G.Don) Moffett*, 171
parviflora *(Roxb.) F.A.Barkley*, 171
pendulina *(Jacq.) Moffett*, 171
pentaphylla *(Jacq.) F.A.Barkley*, 171
pentheri *(Zahlbr.) Moffett*, 171
pondoensis *(Schönland) Moffett*, 171
populifolia *(E.Mey. ex Sond.) Moffett*, 171
problematodes *(Merxm. & Rössl.) Moffett*, 171

Searsia (cont.)
pterota *(C.Presl) Moffett*, 171
puccionii *(Chiov.) Moffett*, 171
pygmaea *(Moffett) Moffett*, 171
pyroides *(Burch.) Moffett*
var. dinteri *(Engl.) Moffett*, 171
var. gracilis *(Engl.) Moffett*, 171
var. integrifolia *(Engl.) Moffett*, 171
var. pyroides, 171
quartiniana *(A.Rich.) A.J.Mill.*, 172
refracta *(Eckl. & Zeyh.) Moffett*, 172
rehmanniana *(Engl.) Moffett*
var. glabrata *(Sond.) Moffett*, 172
var. rehmanniana, 172
retinorrhoea *(Steud. ex Oliv.) Moffett*, 172
rigida *(Mill.) F.A.Barkley*
var. dentata *(Engl.) Moffett*, 172
var. margaretae (*Burtt Davy ex Moffett*) *Moffett*, 172
var. rigida, 172
rimosa *(Eckl. & Zeyh.) Moffett*, 172
rogersii *(Schönland) Moffett*, 172
rosmarinifolia *(Vahl) F.A.Barkley*, 172
rudatisii *(Engl.) Moffett*, 172
ruspolii *(Engl.) Moffett*, 172
scytophylla *(Eckl. & Zeyh.) Moffett*
var. dentata *(Moffett) Moffett*, 172
var. scytophylla, 172
sekhukhuniensis *(Moffett) Moffett*, 172
somalensis *(Engl.) Moffett*, 172
squalida *(Meikle) Moffett*, 172
stenophylla *(Eckl. & Zeyh.) Moffett*, 172
tenuinervis *(Engl.) Moffett*, 172
tenuipes *(R.Fern. & A.Fern.) Moffett*, 173
thyrsiflora *(Balf.f.) Moffett*, 173
tomentosa *(L.) F.A.Barkley*, 173
transvaalensis *(Engl.) Moffett*, 173
tridactyla *(Burch.) Moffett*, 173
tripartita *(Ucria) Moffett*, 173
tumulicola *(S.Moore) Moffett*
var. meeuseana *(R.Fern. & A.Fern.) Moffett*
forma meeuseana, 173
forma pumila *(Moffett) Moffett*, 173
var. tumulicola, 173
undulata *(Jacq.) T.S.Yi, A.J.Mill. & J.Wen*, 173
volkii *(Suess.) Moffett*, 173
wellmanii *(Engl.) Moffett*, 173
wildii *(R.Fern. & A. Fern.) Moffett*, 173
wilmsii *(Diels) Moffett*, 173
zeyheri *(Sond.) Moffett*, 173
section Aspasia, subgenus Aspasia, Ornithogalum, Hyacinthaceae, 133
sedative, 75
seed bank dynamics, 249
Sena, 58
Senegalia *Raf.*, 109
setting conservation priorities, 79
Smith, G.F., 206
Snijman, D.A. Notes on new and misunderstood taxa of *Cyrtanthus* (Amaryllidaceae: Cyrtantheae) from the Western Cape, Eastern Cape and KwaZulu-Natal, South Africa, 1
South Africa, 1, 26, 34, 37, 79, 133, 183, 189, 206, 208, 249
southern
Africa, 177, 215
Angola, 23
sp. nov., 1, 9, 11, 12, 14, 15, 16, 20, 23, 27, 31, 35, 37, 42, 53, 140, 177, 179, 180, 184–186, 189, 195, 202
Spies, J.J., 103
staff list, 261
stat. nov., 5, 14, 182
Stenostelma umbelluliferum *(Schltr.) S.P.Bester & Nicholas*, 50
Strydom, A., Kleynhans, R. & Spies, J.J. Chromosomes studies on African plants. 20. Karyotypes of some *Cyrtanthus* species (Amaryllidaceae), 103
subfamily
Asclepiadoideae, Apocynaceae, 23, 48
Papilionoideae, Leguminosae, 51
Urgineoideae, Hyacinthaceae, 183
subgenus Pseudaristea, Iridaceae, 189
subspecies, 1
Swanepoel, W. *Ceraria kaokoensis*, a new species from Namibia, with notes on gynodioecy in the genus (Didiereaceae/Portulacaceae), 202
Swanepoel, W. *Commiphora kuneneana*, a new species from the Kaokoveld, Namibia (Burseraceae), 40
Swaziland, 215
Sweet, P., 57
taxonomy, 1, 9, 23, 25, 31, 35, 37, 40, 48, 51, 55, 133, 165, 177, 183, 189, 196, 198, 202
Tembe Elephant Park, 249
temporal variation, 249
Trachyandra
arenicola *J.C.Manning & Goldblatt*, 27
montana *J.C.Manning & Goldblatt*, 27
traditional medicine, 75, 211
transient seed bank, 249
tribe
Ceropegieae, subfamily Asclepiadoideae, Apocynaceae, 23
Cyrtantheae, Amaryllidaceae, 1
Dicomeae, Asteraceae, 55
Massonieae, Hyacinthaceae, 31
Tsaba-Tsaba Nature Reserve, Western Cape, 89
TWINSPAN, 89
Urginea
marginata (Thunb.) Baker, 186
minor Duthie, 184
virens Schltr., 184
Urgineoideae, subfamily, Hyacinthaceae, 183
Vachellia *W.F.Wight & Arn.*, 109
Van Jaarsveld, E.J. & Van Wyk, A.E. *Dewinteria*, a new semisucculent, cliff-dwelling genus endemic to the Kaokoveld, Namibia (Pedaliaceae), 198
Van Rooyen, M.W., 249
Van Wyk, A.E., 57, 198
Van Wyk, B-E., 55, 75
var. nov., 18, 20
vegetation, 58
vernacular names, 58
Vigna fischeri sensu Thulin, 53
Vigna verdcourtii *Pasquet*, 53
Vogt, R., 196
Warren, M., 79
Western Cape, 1, 26, 31, 34, 89, 183, 189
White, J.A., 57
Whitehouse, C.M. & Fellingham, A.C. New species and notes on the genus *Cliffortia* (Rosaceae), 9
Williams, V.L., Balkwill, K. & Witkowski, E.T.F. Stem diameter and bark surface area of the fluted trunk of *Balanites maughamii* (Balanitaceae), 211
Witkowski, E.T.F., 211
Witsenia capitata Klatt, 192
Zietsman, M.M. & Bredenkamp, G.J. Threatened Limestone Fynbos plant communities of Andrew's Field and Tsaba-Tsaba Nature Reserve, Western Cape, 89